


TELESIN

Phone Photography Stand

手机摄影支架





User Guide / 使用指南

包装清单



功能介绍

手机摄影支架可以展开拉伸30mm，底座支持在300°范围内旋转调节。



功能模式

1. 桌面支架模式



2. 仰拍模式



3. 提壶模式



4. 手持自拍杆模式



注意

该支架适用于苹果12及以上手机使用,如果您的手机非以上机型,或者想带壳使用,可以选择以下两种方案:

1. 选用引磁片

选择表面光滑平整的手机壳,将金属环贴在上面,轻轻按压,然后等待12小时后再使用,手机壳中的油性材料会影响粘度,如液态硅胶型或有图案的手机壳,所以不建议使用。

禁止将金属环直接贴在裸机背面!


2. 戴磁吸壳使用

建议使用泰迅手机壳。

*此磁吸类产品请勿在高速/高冲击等复杂环境下使用,以免掉机。本产品质保期为6个月。

引磁片使用方法

粘贴好金属环后,请静止12个小时后再使用磁吸功能。使用时,请将引磁片对准磁环;如发生偏位,则吸力锐减。



免责声明


请仔细阅读本声明，一旦使用本产品，即视为对本声明的全部认可和接受。每次使用前，请仔细检查产品若出现破损、变形，请勿使用。使用本产品，就意味着您认可并同意，您将对使用本产品的行为和可能产生的后果负全部责任。您承诺仅会出于正当合法的目的使用本产品。您理解并同意，对于直接或间接因使用本产品而造成的滥用、不利影响、损害伤害、惩罚或者其他法律后果，泰迅数码有限公司(以下简称“Telesin”)将不承担任何责任。用户应遵循包括但不限于本文提及的使用注意事项。在国家法律法规范围内，本承诺解释权、修改权归 Telesin所有。

In the Box



Function introduction

The phone photography stand can be unfolded and stretched to 30 mm. The base supports rotation and adjustment within a range of 300°.



Function mode

1. Desktop Stand Mode



2. Overhead Mode



3. Briefcase Mode



4. Selfie Stick Mode



Note

This bracket is suitable for use with Apple 12 and above models. If your phone is not one of these models, or if you want to use a case with it, you can choose one of the following two options:

1. Universal metal ring

Choose a phone case with a smooth and flat surface, stick the metal ring on it, press slightly, then wait for 12 hours before using it. Oily materials in the phone case will affect stickiness, such as liquid silicone-type or phone cases with patterns, so they are not recommended. It is forbidden to directly stick the metal ring on the back of the naked phone!



2. Wearable magnetic suction case

It is recommended to use a TELESIN phone case.

*This magnetic attachment product should not be used in high-speed/high-impact complex environments to prevent any possible loss. The warranty period for this product is 6 months.

How to use the metal ring

After the metal ring is pasted, please rest for 12 hours before using the magnetic suction function. Please align the metal ring with the magnetic ring when using it; if there is a deviation, the suction force will drop sharply.



Declaration of Conformity



Disclaimer

Please read this statement carefully and by using this product you will be deemed to have acknowledged and accepted it in full. Please check the product carefully before each use and do not use it if damaged or deformed. By using this product, you acknowledge and agree that you are fully responsible for your actions and the possible consequences of using this product. You undertake to use this

product only for legitimate and lawful purposes. You understand and agree that ("Telesin") shall not be liable for any misuse, adverse effects, damages, injuries, penalties or other legal consequences arising directly or indirectly from the use of this product. The user should follow the precautions including but not limited to those mentioned herein, To the extent Telesin reserves the right to interpret and modify this commitment within the limits of national laws and regulations

www.telesin.com